



Alpenglow



Formal Verification

Formal validation of Alpenglow V1, September 2025

Table of Contents

1. Summary	1
2. List of main issues discovered	2
3. Summary of Formal Verification	4
4. Assumption and simplification made during verification	7
5. Disclaimer	7
6. Verifications	8
1. Easy Math	8
1. Math Properties	8
2. Risk Assessment	8
6.2 Interest Rate Model	8
1. Valid States	8
2. Variable Changes	9
3. Unit Tests	10
4. High Level Properties	11
3. Permissions	12
1. Manageable	12
2. Two Steps Ownable	12
6.4 Price Providers	13
1. BalancerV2	13
2. Price Providers Repository	13
3. UniswapV3	14
6.5 Shares Tokens	14
1. Shares Tokens Common Properties	14
2. Shares Debt Token	17
6.6 Alpenglow	18
1. High Level Properties	18
2. Risk Assessment	22
3. State Transition	22
4. Valid States	24
5. Variable Changes	24
7. Alpenglow Factory	27
8. Alpenglow Repository	27
1. Valid States	27
2. Variable Changes	28
3. Unit Tests	29
9. Tokens Factory	30
10. Guarded Launch	30
11. Solvency	31
6.11.1 Unit Tests	31

1. Summary

This document describes the specification and verification of the Alpenglow protocol using the Certora verifier. This work was performed between August 2024 and August 30, 2024, while the code was still under development.

The scope of this verification is Alpenglow’s protocol and contracts related to it:

- /lib/EasyMath.sol
- /lib/Solvency.sol
- /priceProviders/balancerV2/BalancerV2PriceProvider.sol
- /priceProviders/uniswapV3/UniswapV3PriceProvider.sol
- /utils/GuardedLaunch.sol
- /utils/Manageable.sol
- /utils/ShareCollateralToken.sol
- /utils/ShareDebtToken.sol
- /utils/TwoStepOwnable.sol
- InterestRateModel.sol
- PriceProvidersRepository.sol
- Alpenglow.sol
- AlpenglowFactory.sol
- AlpenglowRepository.sol
- TokensFactory.sol

The Certora Prover proved the implementation of the protocol is correct with respect to formal specifications written by the Alpenglowteam and reviewed by the Certora team.

2. List of main issues discovered

Severity: **High**

Issue:	Accrued interest lost while withdrawing assets
Description:	In the withdraw function total deposits been rewritten by liquidity value which doesn't contain accrued interest..
Properties violated:	Alpenglow valid states properties.
Mitigation/Fix:	Update total deposits properly in the withdraw function.

Severity: **High**

Issue:	Accrue interest overflow if compounded interest achieves RCOMP_MAX.
Description:	Interest rate model was secured to handle overflow cases. In a Alpenglow with critical utilisation ratio, interest rate can increase significantly generating large compounded interest (max growth of interest rate is proportional to the square of time difference in seconds). RCOMP_MAX was set right before the overflow of the $\exp(x)$ function. In BaseAlpenglow _accrueInterest modifier multiplies totalBorrowAmount to the value of rcomp. High threshold for compounded interest caused these intermediate calculations to overflow with totalBorrowAmount close to 10^{18}. Revert of _accrueInterest makes it impossible to withdraw collateralOnly deposits or to liquidate insolvent borrow positions.
Properties violated:	Interest model unit tests.
Mitigation/Fix:	RCOMP_MAX is set to the lower value, the interest rate model is less aggressive on long term stale periods. BaseAlpenglow is fixed to handle these overflow cases (the probability of those scenarios is insignificant).

2. List of main issues discovered (cont.)

Severity: **Medium**

Issue:	Withdrawal for free because of a rounding issue
Description:	Zero shares burned but some amount was withdrawn.
Properties violated:	Alpenglow high level properties.
Mitigation/Fix:	Revert in the EasyMath if the amount is not 0 but the result is.

Severity: **Medium**

Issue:	Rounding in a favor of the protocol
Description:	Redeeming deposited tokens didn't burn equally proportional share tokens due to a rounding issue in solidity.
Properties violated:	Alpenglow high level properties.
Mitigation/Fix:	Round in a favor of the protocol.

Severity: **Medium**


Issue:	Missed validation for the interest rate model config
Description:	Because of the lack of the config validation from the smart contracts side, there was a possibility to turn the interest model into an extreme state.
Properties violated:	Interest model variable changes properties.
Mitigation/Fix:	Added config validation.

3. Summary of Formal Verification

Overview of Alpenglow Protocol

Alpenglow is an isolated-market lending protocol. Smart contracts have a modular design and are mostly following Uniswap’s naming convention. The protocol consists of multiple components, shown on *Fig. 1Alpenglow protocol architecture*.

Fig. 1Alpenglow protocol architecture



PriceProvidersRepository

The role of an oracle is to provide Alpenglow with the correct price of an asset. AlpenglowOracleRepository is the entry point of token prices for a Alpenglow and manages oracle modules and price request routing. It can support many protocols and sources.

3. Summary of Formal Verification (*cont.*)

BalancerV2PriceProvider

BalancerV2Oracle is an oracle module that is responsible for pulling the correct prices of a given asset from BalancerV2 pools. It performs security checks and returns TWAP prices when requested.

UniswapV3PriceProvider

UniswapV3Oracle is an oracle module that is responsible for pulling the correct prices of a given asset from UniswapV3 pools. It performs security checks and returns TWAP prices when requested.

Alpenglow

Alpenglow is the main component of the protocol. It implements lending logic, manages and isolates risk, acts as a vault for assets, and performs liquidations. Each Alpenglow is composed of the base asset for which it was created (e.g. UNI) and bridge assets (e.g. ETH and AlpenglowDollar). There may be multiple bridge assets at any given time.

AlpenglowRepository

- Repository handles the creation and configuration of Alpenglows.

- Stores configuration for each asset in each Alpenglow: Each asset in each Alpenglow starts with a default config that later on can be changed by the contract owner.
 - Stores registry of Factory contracts that deploy different versions of Alpenglows: It is possible to have multiple versions/implementations of Alpenglow and use different versions for different tokens. For example, one version can be used for UNI (ERC20) and the other can be used for UniV3LP tokens (ERC721).
 - Manages bridge assets: Each Alpenglow can have 1 or more bridge assets. New Alpenglows are created with all currently active bridge assets. Alpenglows that are already developed must synchronize bridge assets. Sync can be done by anyone since the function has public access.
- Is a single source of truth for other contract addresses.

3. Summary of Formal Verification (*cont.*)

AlpenglowFactory

Factory contract performs deployment of each Alpenglow. Many Factory contracts can be registered with the Repository contract.

Interest Rate Model

The Interest Rate Model calculates the dynamic interest rate for each asset (base asset and bridge assets) in each Alpenglow at any given time. The model calculates two values:

-
- Current Interest Rate: Used to display the current interest rate for the user in UI.
Compound Interest Rate: Returns the interest rate for a given time range compounded every second.

4. Assumption and simplification made during verification

We made the following assumptions during the verification process:

- Assume a 1:2 ratio share per amount for the Alpenglow properties.
- Assume that the asset price is always 4.
- Implemented a Alpenglow function selector where functions that can perform an action
 - with interest calculation and without.
- Implemented a simplified tokens factory for Alpenglow tests.

When verifying contracts that make external calls, we assume that those calls can have arbitrary side effects outside of the contracts but that they do not affect the state of the contract being verified. This means that some reentrancy bugs may not
- be caught.

Implemented 'harness' contracts to be able to test libraries and abstract contracts
- or add additional getters that are required for rules implementation.

Overflow cases in compounded interest and accrued interest intermediate calculations are skipped in interest rate model unit tests and high level mathematical properties. Overflow cases are handled to prevent transaction reverts; overflowable values will be set to its top limits. These limitations break continuous mathematical properties in the interest rate model long term. These properties are verified on core implementation with skipped overflow edge cases. All interest rate model properties hold in short term interest compounding periods (interest rate model compounded interest update time less than 19 days for total borrowed amount less or equal 10^{25} wei).

5. Disclaimer

The Certora Prover takes as input a contract and a specification and formally proves that the contract satisfies the specification in all scenarios. Importantly, the guarantees of the Certora Prover are scoped to the provided specification, and the Certora Prover does not check any cases that are not covered by the specification.

The purpose of this report is informational only and should not be construed as explicit or implied guarantee of the security of Alpenglow's smart contracts and codebase.

6. Verifications

1. Easy Math

Reports: [EasyMath](#)

1. Math Properties

1. Amount to shares conversion is monotonic.

Implementation: rule MP_monotonicity_amount_toShares

2. Shares to amount conversion is monotonic.

Implementation: rule MP_monotonicity_shares_toAmount

3. Inverse conversion for amount returns value less or equal to the amount.

Implementation: rule MP_inverse_amount

4. Inverse conversion for shares returns value less or equal to the shares.

Implementation: rule MP_inverse_shares

2. Risk Assessment

1.If the deposit was made when total deposits were equal to the total shares, after gaining any interest, there should not be scenarios where the withdrawal amount will be less than the deposited amount.

Implementation: rule RA_withdraw_with_interest

2. Interest Rate Model

1. Valid States

Report: [Valid States](#)

1. Decimal points are 10^{18} and can not be changed.

Implementation: rule VS_DP

2. RCOMP_MAX is equal to $(2^{16}) * 10^{18}$ and can not be changed.

Implementation: rule VS_RCOMP_MAX

6.2.1.3 X_MAX is equal to 11090370147631773313 ($X_MAX \approx \ln(RCOMP_MAX + 1)$) and can not be changed

Implementation: rule VS_X_MAX

4. For every Alpenglow and every asset $Config.uopt \in (0, 10^{18})$ in DP.

Implementation: rule VS_uopt

5. For every Alpenglow and every asset $Config.ucrit \in (uopt, 10^{18})$ in DP.

Implementation: rule VS_ucrit

6. Verifications (cont.)

6. For every Alpenglow and every asset $\text{Config. ulow} \in (0, \text{uopt})$ in DP.
Implementation: rule VS_ulow
7. For every Alpenglow and every asset $\text{Config. ki} > 0$ (integrator gain).
Implementation: rule VS_ki
8. For every Alpenglow and every asset $\text{Config. kcrit} > 0$ (proportional gain for large utilization).
Implementation: rule VS_kcrit
9. For every Alpenglow and every asset $\text{Config. klow} \geq 0$ (proportional gain for low utilization).
Implementation: rule VS_klow
10. For every Alpenglow and every asset $\text{Config. klin} \geq 0$ (coefficient of the lower linear bound).
Implementation: rule VS_klin
11. For every Alpenglow and every asset $\text{Config. beta} \geq 0$.
Implementation: rule VS_beta
12. For every Alpenglow and every asset $\text{Config. ri} \geq 0$.
Implementation: rule VS_complexInvariant_ri
13. For every Alpenglow and every asset $\text{Config. tcrit} \geq 0$.
Implementation: rule VS_complexInvariant_tcrit
14. ASSET_DATA_OVERFLOW_LIMIT is equal to (2^{196}) and can not be changed.
Implementation: rule VS_ASSET_DATA_OVERFLOW_LIMIT

2. Variable Changes

Report: [Variable Changes](#)

1. Config. uopt can be set only by `setConfig`. $\forall \text{ Alpenglow } \forall \text{ Asset } ((\text{uopt changed}) \Leftrightarrow (\text{f.selector} == \text{setConfig} \ \&\& \ \text{msg.sender} == \text{owner}))$.
Implementation: rule VCH_uoptChangedOnlyOwner
2. Config. ucrit can be set only by `setConfig`. $\forall \text{ Alpenglow } \forall \text{ Asset } ((\text{ucrit changed}) \Leftrightarrow (\text{f.selector} == \text{setConfig} \ \&\& \ \text{msg.sender} == \text{owner}))$.
Implementation: rule VCH_ucritChangedOnlyOwner
3. Config. ulow can be set only by `setConfig`. $\forall \text{ Alpenglow } \forall \text{ Asset } ((\text{ulow changed}) \Leftrightarrow (\text{f.selector} == \text{setConfig} \ \&\& \ \text{msg.sender} == \text{owner}))$.
Implementation: rule VCH_ulowChangedOnlyOwner
4. Config. ki can be set only by `setConfig`. $\forall \text{ Alpenglow } \forall \text{ Asset } ((\text{ki changed}) \Leftrightarrow (\text{f.selector} == \text{setConfig} \ \&\& \ \text{msg.sender} == \text{owner}))$.
Implementation: rule VCH_kiChangedOnlyOwner

6. Verifications (cont.)

5. Config.kcrit can be set only by setConfig. $\forall$ Alpenglw $\forall$ Asset ((kcrit changed)

$\Leftrightarrow$ (f.selector == setConfig && msg.sender == owner)).

Implementation: rule VCH_kcritChangedOnlyOwner

6. Config.klow can be set only by setConfig. $\forall$ Alpenglw $\forall$ Asset ((klow changed)

$\Leftrightarrow$ (f.selector == setConfig && msg.sender == owner)).

Implementation: rule VCH_klowChangedOnlyOwner

7. Config.klin can be set only by setConfig. $\forall$ Alpenglw $\forall$ Asset ((klin changed) $\Leftrightarrow$ (f.selector == setConfig && msg.sender == owner)).

Implementation: rule VCH_klinChangedOnlyOwner

8. Config.beta can be set only by setConfig. $\forall$ Alpenglw $\forall$ Asset ((beta changed)

$\Leftrightarrow$ (f.selector == setConfig && msg.sender == owner)).

Implementation: rule VCH_betaChangedOnlyOwner

9. Config.ri can be set only by setConfig or by getCompoundInterestRateAndUpdate. $\forall$ Alpenglw $\forall$ Asset ((ri changed) $\Leftrightarrow$ (f.selector == setConfig && msg.sender == owner || f.selector == getCompoundInterestRateAndUpdate && msg.sender == Alpenglw)).

Implementation: rule VCH_riChangedOnlyOwnerOrInterestUpdate

10. Config.tcrit can be set only by setConfig or by getCompoundInterestRateAndUpdate. $\forall$ Alpenglw $\forall$ Asset ((tcrit changed) $\Leftrightarrow$ (f.selector == setConfig && msg.sender == owner || f.selector == getCompoundInterestRateAndUpdate && msg.sender == Alpenglw)).

Implementation: rule VCH_tcritChangedOnlyOwnerOrInterestUpdate

6.2.3 Unit Tests

Reports: [Compound Interest Rate](#), [Current Interest Rate](#)

6.2.3.2 CalculateCompoundInterestRate. tcrit and ri were in a state before the function call. Utilisation before the call was u. tcritNew, riNew and rcomp are the return values.

- Assert (u > Config.ucrit && Config.beta != 0) $\Leftrightarrow$ (tcritNew > tcrit).
- Assert (u > Config.uopt) $\Rightarrow$ (riNew >= ri).
- Assert (u > Config.uopt) && (ri <= Config.klin * u / DP()) $\Rightarrow$ (riNew >= Config.klin * u / DP()).
- Assert (u == Config.uopt) && (ri < Config.klin * u / DP()) $\Rightarrow$ (riNew == Config.klin * u / DP()).
- Assert (u == Config.uopt) && (ri >= Config.klin * u / DP()) $\Rightarrow$ (riNew == ri).

6. Verifications (cont.)

- Assert $(u \leq \text{Config.uopt}) \ \&\& \ (ri \leq \text{Config.klin} * u / \text{DP}()) \Rightarrow (riNew == \text{Config.klin} * u / \text{DP}())$.
- Assert $(u < \text{Config.uopt}) \ \&\& \ (ri > \text{Config.klin} * u / \text{DP}()) \Rightarrow (riNew \leq ri) \ \&\& \ (riNew \geq \text{Config.klin} * u / \text{DP}())$.

*Implementation: rule UT_calculateCompoundInterestRate_**

6.2.3.3 GetCurrentInterestRate. For two consecutive block timestamps $tNew > tOld$. Let $uOld$ is utilisation ratio at $tOld$ timestamp, $rCurOld$ is current interest rate at $tOld$. Let $uNew$ is utilisation ratio at $tNew$ timestamp, $rCurNew$ is current interest rate at $tNew$.

- Assert $(uOld < uNew) \ \&\& \ (rCurOld \leq \text{Config.klin} * uOld / \text{DP}()) \Rightarrow (rCurNew \geq rCurOld)$.
- Assert $(uOld > \text{Config.uopt} \ \&\& \ uNew > uOld) \Rightarrow (rCurNew \geq rCurOld)$.
- Assert $(uOld \geq uNew) \ \&\& \ (rCurNew > rCurOld) \Rightarrow (uOld \geq \text{Config.uopt})$.
- Assert $(rCurNew == 0) \Rightarrow (u * \text{Config.klin} / \text{DP}() == 0)$.

*Implementation: rule UT_calculateCurrentInterestRate_**

4. Max. $a \geq b \Leftrightarrow \max(a, b)$ returns a .

Implementation: rule UT_max

5. Min. $a \leq b \Leftrightarrow \min(a, b)$ returns a .

Implementation: rule UT_min

4. High Level Properties

These properties were proven by the Certora team using the fuzzy mining feature for solving complex problems.

1. $rComp$ is the current output of `getCompoundInterestRate`, $rCurNew$ is the current interest rate, $uNew$ is the current utilisation ratio, T is the difference between the last interest rate update timestamp and current timestamp. Assert $(u \leq \text{Config.uopt}) \Rightarrow (rComp \geq rCurNew * T)$.

Implementation: rule PMTH_compoundAndCurrentInterest_uGreaterUopt

2. $rComp$ is the current output of `getCompoundInterestRate`, $rCurOld$ is the interest rate on the last interest rate update timestamp, $uNew$ is the current utilisation ratio, T is the difference of the last interest rate update timestamp and current timestamp. Assert $(u \geq \text{Config.uopt}) \Rightarrow (rComp \geq rCurOld * T)$.

Implementation: rule PMTH_compoundAndCurrentInterest_uLessUopt

6. Verifications (cont.)

3. Permissions

1. Manageable

Report: [Manageable](#)

1. Only changeManager can set a manager.

Implementation: rule VC_manager_change

2. A manager can't be an empty address.

Implementation: rule VS_manager_is_not_0

3. Only the owner or the manager can execute changeManager.

Implementation: rule VS_changeManager_only_owner_or_manager

2. Two Steps Ownable

Reports: [TwoStepOwnable](#)

1. Only renounceOwnership can set an owner.

Implementation: rule VC_owner_to_0

2. Only transferOwnership, renounceOwnership and acceptOwnership can update an owner.

Implementation: rule VC_owner_update

3. Only acceptOwnership, renounceOwnership, transferOwnership, removePendingOwnership

can set a pending owner to an empty address.

Implementation: rule VC_pending_owner_to_0

4. Only transferPendingOwnership can set a pending owner.

Implementation: rule VC_pending_owner_config

5. If an owner is an empty address, a pending owner should also be an empty address.

Implementation: rule VS_empty_state

6. If the owner is updated, a pending owner should be an empty address.

Implementation: rule VS_owner_update

7. Only the owner can execute renounceOwnership.

Implementation: rule VS_renounceOwnership_only_owner

8. Only the owner can execute transferOwnership.

Implementation: rule VS_transferOwnership_only_owner

9. Only the owner can execute transferPendingOwnership.

Implementation: rule VS_transferPendingOwnership_only_owner

6. Verifications (cont.)

10. Only the owner can execute removePendingOwnership.

Implementation: rule VS_removePendingOwnership_only_owner

11. Only the pending owner can execute acceptOwnership.

Implementation: rule VS_acceptOwnership_only_pending_owner

4. Price Providers

1. BalancerV2

Reports: [BalancerV2PriceProvider](#)

1. An asset pool can be configured only by setupAsset fn.

Implementation: rule VC_BalancerV2_asset_pool

2. `_state.periodForAvgPrice` can be updated only by `changePeriodForAvgPrice`, `changeSettings`.

Implementation: rule VC_BalancerV2_periodForAvgPrice

3. `_state.secondsAgo` can be updated only by `changeSecondsAgo`, `changeSettings`.

Implementation: rule VC_BalancerV2_secondsAgo

4. `_state.periodForAvgPrice` can't be set to 0

Implementation: rule VS_BalancerV2_periodForAvgPrice_is_not_zero

5. Only the manager can configure an asset pool.

Implementation: rule UT_BalancerV2_setupAsset_only_manager

6. Only the manager can configure a periodForAvgPrice.

Implementation: rule UT_BalancerV2_changePeriodForAvgPrice_only_manager

7. Only the manager can configure a secondsAgo.

Implementation: rule UT_BalancerV2_changeSecondsAgo_only_manager

8. Only the manager can change settings.

Implementation: rule UT_BalancerV2_changeSettings_only_manager

9. `getPrice` fn should revert if a Price oracle is not configured for an asset.

Implementation: rule UT_BalancerV2_getPrice_with_not_configured_pool

2. Price Providers Repository

Reports: [PriceProvidersRepository](#)

1. Add to `_allProviders` array can only addPriceProvider.

Implementation: rule VC_Price_providers_repository_add_provider

2. Remove from `_allProviders` array can only removePriceProvider.

Implementation: rule VC_Price_providers_repository_remove_provider

6. Verifications (cont.)

3. Change priceProviders can only setPriceProviderForAsset.

Implementation: rule VC_Price_providers_repository_priceProviders

4. Only the owner can add the price provider.

Implementation: rule UT_Price_providers_repository_add_provider

5. Only the owner can remove the price provider.

Implementation: rule UT_Price_providers_repository_remove_provider

6. Only the owner can set the price provider for an asset.

Implementation: rule UT_Price_providers_repository_set_provider

3. UniswapV3

Reports: [UniswapV3 price provider](#)

1. An asset pool can be configured only by setupAsset fn.

Implementation: rule VC_UniswapV3_asset_pool

2. priceCalculationData.periodForAvgPrice can be updated only by changePeriodForAvgPrice fn.

Implementation: rule VC_UniswapV3_periodForAvgPrice

3. priceCalculationData.blockTime can be updated only by changeBlockTime fn.

Implementation: rule VC_UniswapV3_blockTime

4. Only the manager can configure an asset pool.

Implementation: rule UT_UniswapV3_setupAsset_only_manager

5. Only the manager can configure a periodForAvgPrice.

Implementation: rule UT_UniswapV3_changePeriodForAvgPrice_only_manager

6. Only the manager can configure a blockTime.

Implementation: rule UT_UniswapV3_changeBlockTime_only_manager

5. Shares Tokens

1. Shares Tokens Common Properties

Reports: [Shares tokens risk assessment](#), [Shares tokens unit tests](#), [Common shares tokens high level props](#), [Common shares tokens variable changes](#)

1. TotalSupply can only change on mint, burn.

Implementation: rule `VC\_Shares\_totalSupply\_change`

2. TotalSupply can increase only on mint.

Implementation: rule `VC\_Shares\_totalSupply\_increase`

6. Verifications (cont.)

3. TotalSupply can decrease only on burn.

Implementation: rule `VC\_Shares\_totalSupply\_decrease`

4. For any address, the balance can change only on mint, burn, transfer, transferFrom.

Implementation: rule `VC\_Shares\_balance\_change`

5. For any address, the balance can increase only on mint, transfer, transferFrom.

Implementation: rule `VC\_Shares\_balance\_increase`

6. For any address, the balance can decrease only on burn, transfer, transferFrom.

Implementation: rule `VC\_Shares\_balance\_decrease`

7. Allowance can only change on transferFrom, approve, increaseAllowance, decreaseAllowance.

Implementation: rule `VC\_Shares\_allowance\_change`

8. Sum of all balances should be equal totalSupply.

Implementation: invariant `VS\_Shares\_totalSupply\_balances`

9. transferFrom should decrease allowance for the same amount as transferred.

Implementation: rule `HLP\_Shares\_transferFrom\_allowance`

10. Additive transfer. Balance change for msg.sender and recipient while do transfer(\$amount\$) should be the same as transfer(\$amount/2\$) + transfer(\$amount/2\$).

Implementation: rule `HLP\_Shares\_additive\_transfer`

11. Additive transferFrom. Balance change for sender and recipient while do transferFrom(\$amount\$) should be the same as transferFrom(\$amount/2\$) + transferFrom(\$amount/2\$).

Implementation: rule `HLP\_Shares\_additive\_transferFrom`

12. Additive mint. Balance change for recipient while do mint(\$amount\$) should be the same as mint(\$amount/2\$) + mint(\$amount/2\$).

Implementation: rule `HLP\_Shares\_additive\_mint`

13. Additive burn. Balance change for recipient while do burn(\$amount\$) should be the same as burn(\$amount/2\$) + burn(\$amount/2\$).

Implementation: rule `HLP\_Shares\_additive\_burn`

14. Additive increaseAllowance. Allowance change for spender while do increaseAllowance(\$amount\$) should be the same as increaseAllowance(\$amount/2\$) + increaseAllowance(\$amount/2\$).

Implementation: rule `HLP\_Shares\_additive\_increaseAllowance`

6. Verifications (cont.)

15. Additive decreaseAllowance. Allowance change for spender while do decreaseAllowance(\$amount\$) should be the same as decreaseAllowance(\$amount/2\$) + decreaseAllowance(\$amount/2\$).

Implementation: rule `HLP\_Shares\_additive\_decreaseAllowance`

16. Integrity of mint. Balance of recipient after mint(\$amount\$) should be equal to the balance of the recipient before mint + \$amount\$.

Implementation: rule `HLP\_Shares\_integrity\_mint`

17. Integrity of burn. Balance of recipient after burn(\$amount\$) should be equal to the balance of the recipient before burn - \$amount\$.

Implementation: rule `HLP\_Shares\_integrity\_burn`

18. Integrity of transfer. Balance of recipient and msg.sender after transfer(\$amount\$) should be updated for the exact amount that has been requested for a transfer.

Implementation: rule `HLP\_Shares\_integrity\_transfer`

19. Integrity of transferFrom. Balance of recipient and sender after transferFrom(\$amount\$) should be updated for the exact amount that has been requested for a transferFrom.

Implementation: rule `HLP\_Shares\_integrity\_transferFrom`

20. Integrity of increaseAllowance. Allowance of spender after increaseAllowance(\$amount\$) should be equal to the allowance of the spender before increaseAllowance + \$amount\$.

Implementation: rule `HLP\_Shares\_integrity\_increaseAllowance`

21. Integrity of decreaseAllowance. Allowance of spender after decreaseAllowance(\$amount\$) should be equal to the allowance of the spender before decreaseAllowance - \$amount\$.

Implementation: rule `HLP\_Shares\_integrity\_decreaseAllowance`

22. Integrity of approve. Allowance of spender after approve(\$amount\$) should be equal to the allowance of the spender before approve + \$amount\$.

Implementation: rule `HLP\_Shares\_integrity\_approve`

23. Mint and Burn should revert if the sender is not the Alpenglow address.

Implementation: rule `UT\_Shares\_min\_burn\_permissions`

24. Each action affects at most two users' balance.

Implementation: rule `RA\_Shares\_balances\_update\_correctness`

6. Verifications (cont.)

2. Shares Debt Token

Reports: [Debt tokens variable changes](#), [Debt tokens high level props](#)

1.receiveAllowances should change only on setReceiveApproval, decreaseReceiveAllowance, increaseReceiveAllowance, transferFrom.

Implementation: rule VC_SharesDebt_receiveAllowances_change

2. receiveAllowances should increase only on setReceiveApproval, increaseReceiveAllowance.

Implementation: rule VC_SharesDebt_receiveAllowances_increase

3.receiveAllowances should decrease only on setReceiveApproval, decreaseReceiveAllowance, transferFrom.

Implementation: rule VC_SharesDebt_receiveAllowances_decrease

4.Additive decreaseReceiveAllowance. receiveAllowances msg.sender after decreaseReceiveAllowance(amount) should be the same as decreaseReceiveAllowance(amount/2) + decreaseReceiveAllowance(amount/2).

Implementation: rule HLP_SharesDebt_additive_decreaseReceiveAllowance

5.Additive increaseReceiveAllowance. receiveAllowances msg.sender after increaseReceiveAllowance(amount) should be the same as increaseReceiveAllowance(amount/2) + increaseReceiveAllowance(amount/2).

Implementation: rule HLP_SharesDebt_additive_increaseAllowance

6.Integrity of setReceiveApproval. receiveAllowances of msg.sender after setReceiveApproval(amount) should be the exact amount that has been requested for a setReceiveApproval.

Implementation: rule HLP_SharesDebt_integrity_setReceiveApproval

7.Integrity of decreaseReceiveAllowance. receiveAllowances of msg.sender after decreaseReceiveAllowance(amount) should be equal to the receiveAllowances of the sender before request - amount.

Implementation: rule HLP_SharesDebt_integrity_decreaseReceiveAllowance

8.Integrity of increaseReceiveAllowance. receiveAllowances of msg.sender after increaseReceiveAllowance(amount) should be equal to the receiveAllowances of the sender before request + amount or uint256.max.

Implementation: rule HLP_SharesDebt_integrity_increaseReceiveAllowance

6. Verifications (cont.)

6. Alpenglw

1. High Level Properties

Reports: [Alpenglw high level properties - DebtToken](#), [Alpenglw high level properties - CollateralOnlyToken](#), [Alpenglw high level properties - CollateralToken](#), [Alpenglw high level properties - Common](#)

1. Inverse deposit - withdraw for collateralToken. For any user, the balance before deposit should be equal to the balance after depositing and then withdrawing the same amount.

Implementation: rule HLP_inverse_deposit_withdraw_collateral

2. Inverse deposit - withdrawFor for collateralToken. For any user, the balance before deposit should be equal to the balance after depositing and then withdrawing the same amount.

Implementation: rule HLP_inverse_deposit_withdrawFor_collateral

3. Inverse depositFor - withdraw for collateralToken. For any user, the balance before deposit should be equal to the balance after depositing and then withdrawing the same amount.

Implementation: rule HLP_inverse_depositFor_withdraw_collateral

4. Inverse depositFor - withdrawFor for collateralToken. For any user, the balance before deposit should be equal to the balance after depositing and then withdrawing the same amount.

Implementation: rule HLP_inverse_depositFor_withdrawFor_collateral

5. Inverse deposit - withdraw for collateralOnlyToken. For any user, the balance before deposit should be equal to the balance after depositing and then withdrawing the same amount.

Implementation: rule HLP_inverse_deposit_withdraw_collateralOnly

6. Inverse deposit - withdrawFor for collateralOnlyToken. For any user, the balance before deposit should be equal to the balance after depositing and then withdrawing the same amount.

Implementation: rule HLP_inverse_deposit_withdrawFor_collateralOnly

7. Inverse depositFor - withdraw for collateralOnlyToken. For any user, the balance before deposit should be equal to the balance after depositing and then withdrawing the same amount.

Implementation: rule HLP_inverse_depositFor_withdraw_collateralOnly

8. Inverse depositFor - withdrawFor for collateralOnlyToken. For any user, the balance before deposit should be equal to the balance after depositing and then withdrawing the same amount.

Implementation: rule HLP_inverse_depositFor_withdrawFor_collateralOnly

6. Verifications (cont.)

9. Inverse borrow - repay for debtToken. For any user, the balance before borrowing should be equal to the balance after borrowing and then repaying the same amount.

Implementation: rule HLP_inverse_borrow_repay_debtToken

10. Inverse borrow - repayFor for debtToken. For any user, the balance before borrowing should be equal to the balance after borrowing and then repaying the same amount.

Implementation: rule HLP_inverse_borrow_repayFor_debtToken

11. Inverse borrowFor - repay for debtToken. For any user, the balance before borrowing should be equal to the balance after borrowing and then repaying the same amount.

Implementation: rule HLP_inverse_borrowFor_repay_debtToken

12. Inverse borrowFor - repayFor for debtToken. For any user, the balance before borrowing should be equal to the balance after borrowing and then repaying the same amount.

Implementation: rule HLP_inverse_borrowFor_repayFor_debtToken

13. Additive deposit for collateralToken, totalDeposits while do deposit(x + y) should be the same as deposit(x) + deposit(y).

Implementation: rule HLP_additive_deposit_collateral

14. Additive deposit for collateralOnlyToken, collateralOnlyDeposits while do deposit(x + y) should be the same as deposit(x) + deposit(y).

Implementation: rule HLP_additive_deposit_collateralOnly

15. Additive depositFor for collateralToken, totalDeposits while do depositFor(x + y) should be the same as depositFor(x) + depositFor(y).

Implementation: rule HLP_additive_depositFor_collateral

16. Additive depositFor for collateralOnlyToken, collateralOnlyDeposits while do depositFor(x + y) should be the same as depositFor(x) + depositFor(y).

Implementation: rule HLP_additive_depositFor_collateralOnly

17. Additive withdraw for collateralToken, totalDeposits while do withdraw(x + y) should be the same as withdraw(x) + withdraw(y).

Implementation: rule HLP_additive_withdraw_collateral

18. Additive withdraw for collateralOnlyToken, collateralOnlyDeposits while do withdraw(x + y) should be the same as withdraw(x) + withdraw(y).

Implementation: rule HLP_additive_withdraw_collateralOnly

19. Additive withdrawFor for collateralToken, totalDeposits while do withdrawFor(x + y) should be the same as withdrawFor(x) + withdrawFor(y).

Implementation: rule HLP_additive_withdrawFor_collateral

6. Verifications (cont.)

20. Additive withdrawFor for collateralOnlyToken, collateralOnlyDeposits while do withdrawFor(x + y) should be the same as withdrawFor(x) + withdrawFor(y).

Implementation: rule HLP_additive_withdrawFor_collateralOnly

21. Additive borrow for debtToken, totalBorrowAmount while do borrow(x + y) should be the same as borrow(x) + borrow(y).

Implementation: rule HLP_additive_borrow_debtToken

22. Additive borrowFor for debtToken, totalBorrowAmount while do borrowFor(x + y) should be the same as borrowFor(x) + borrowFor(y).

Implementation: rule HLP_additive_borrowFor_debtToken

23. Additive repay for debtToken, totalBorrowAmount while do repay(x + y) should be the same as repay(x) + repay(y).

Implementation: rule HLP_additive_repay_debtToken

24. Additive repayFor for debtToken, totalBorrowAmount while do repayFor(x + y) should be the same as repayFor(x) + repayFor(y).

Implementation: rule HLP_additive_repayFor_debtToken

25. Integrity of deposit for collateralToken, totalDeposits after deposit should be equal to the totalDeposits before deposit + amount of the deposit.

Implementation: rule HLP_integrity_deposit_collateral

26. Integrity of deposit for collateralTokenOnly, collateralOnlyDeposits after deposit should be equal to the collateralOnlyDeposits before deposit + amount of the deposit.

Implementation: rule HLP_integrity_deposit_collateralOnly

27. Integrity of depositFor for collateralToken, totalDeposits after deposit should be equal to the totalDeposits before deposit + amount of the deposit.

Implementation: rule HLP_integrity_depositFor_collateral

28. Integrity of depositFor for collateralOnlyToken, collateralOnlyDeposits after deposit should be equal to the collateralOnlyDeposits before deposit + amount of the deposit.

Implementation: rule HLP_integrity_depositFor_collateralOnly

29. Integrity of withdraw for collateralToken, totalDeposits after withdrawal should be equal to the totalDeposits before withdrawal - the amount of the withdrawal.

Implementation: rule HLP_integrity_withdraw_collateral

30. Integrity of withdraw for collateralOnlyToken, collateralOnlyDeposits after withdrawal should be equal to the collateralOnlyDeposits before withdrawal - the amount of the withdrawal.

Implementation: rule HLP_integrity_withdraw_collateralOnly

6. Verifications (cont.)

31. Integrity of withdrawFor for collateralToken, totalDeposits withdrawal should be equal to the totalDeposits before withdrawal - the amount of the withdrawal.

Implementation: rule HLP_integrity_withdrawFor_collateral

32. Integrity of withdrawFor for collateralOnlyToken, collateralOnlyDeposits after withdrawal should be equal to the collateralOnlyDeposits before withdrawal - the amount of the withdrawal.

Implementation: rule HLP_integrity_withdrawFor_collateralOnly

33. Integrity of borrow for debtToken, totalBorrowAmount after borrow should be equal to the totalBorrowAmount before borrow + borrowed amount.

Implementation: rule HLP_integrity_borrow_debtToken

34. Integrity of borrowFor for debtToken, totalBorrowAmount after borrowFor should be equal to the totalBorrowAmount before borrowFor + borrowed amount.

Implementation: rule HLP_integrity_borrowFor_debtToken

35. Integrity of repay for debtToken, totalBorrowAmount after repay should be equal to the totalBorrowAmount before repay + repaid amount.

Implementation: rule HLP_integrity_repay_debtToken

36. Integrity of repayFor for debtToken, totalBorrowAmount after repayFor should be equal to the totalBorrowAmount before repayFor + repaid amount.

Implementation: rule HLP_integrity_repayFor_debtToken

37. Deposit of the collateral will only update the balance of msg.sender.

Implementation: rule HLP_deposit_collateral_update_only_sender

38. Deposit of the collateralOnly will only update the balance of msg.sender.

Implementation: rule HLP_deposit_collateralOnly_update_only_sender

39. DepositFor of the collateral will only update the balance of _depositor.

Implementation: rule HLP_depositFor_collateral_update_only_depositor

40. DepositFor of the collateralOnly will only update the balance of _depositor.

Implementation: rule HLP_depositFor_collateralOnly_update_only_depositor

41. Withdrawing of the collateral will only update the balance of msg.sender.

Implementation: rule HLP_withdraw_collateral_update_only_sender

42. Withdrawing of the collateralOnly will only update the balance of msg.sender.

Implementation: rule HLP_withdraw_collateralOnly_update_only_sender

43. WithdrawFor of the collateral will only update the balance of _depositor.

Implementation: rule HLP_withdrawFor_collateral_update_only_depositor

44. WithdrawFor of the collateralOnly will only update the balance of _depositor.

Implementation: rule HLP_withdrawFor_collateralOnly_update_only_depositor

6. Verifications (cont.)

45. Borrow will only update the balance of the msg.sender for debtToken.

Implementation: rule HLP_borrow_update_only_sender

46. BorrowFor will only update the balance of the borrower for debtToken.

Implementation: rule HLP_borrowFor_update_only_borrower

47. Repay will only update the balance of the msg.sender for debtToken.

Implementation: rule HLP_repay_update_only_sender

48. RepayFor will only update the balance of the borrower for debtToken.

Implementation: rule HLP_repayFor_update_only_borrower

49. FlashLiquidate will only update the balances of the provided users.

isSolventBefore == false => Balance for CollateralOnlyToken, CollateralToken should be 0.

Implementation: rule HLP_flashliquidate_shares_tokens_bal_zero

2. Risk Assessment

Reports: [RA_Alpenglow_no_double_withdraw](#),
[RA_Alpenglow_no_negative_interest_for_loan](#),
[RA_Alpenglow_balance_more_than_collateralOnly_deposit](#),
[RA_Alpenglow_withdraw_all_shares](#),
[RA_Alpenglow_borrowed_asset_not_depositable](#),
[RA_Alpenglow_repay_all_shares](#), [RA_Alpenglow_repay_all_collateral](#)

1. A user cannot withdraw the same balance twice (double spending).

Implementation: rule RA_Alpenglow_no_double_withdraw

2. A user should not be able to repay a loan with less amount than he borrowed.

Implementation: rule RA_Alpenglow_no_negative_interest_for_loan

3. With collateralOnly deposit, there is no scenario when the balance of a contract is less than that deposit amount.

Implementation: rule RA_Alpenglow_balance_more_than_collateralOnly_deposit

4. A user should not be able to deposit an asset that he borrowed in the Alpenglow.

Implementation: rule RA_Alpenglow_borrowed_asset_not_depositable

5. A user has no debt after being repaid with max_uint256 amount.

Implementation: rule RA_Alpenglow_repay_all_shares

6. A user can withdraw all with max_uint256 amount.

Implementation: rule RA_Alpenglow_withdraw_all_shares

3. State Transition

Reports: [Alpenglow state transition - ST_Alpenglow_asset_init_shares_tokens](#),
[Alpenglow state transition](#)

- [ST_Alpenglow_asset_reactivate](#), [Alpenglow state transition -](#)

[ST_Alpenglow_mint_debt](#), [Alpenglow state transition -](#)

[ST_Alpenglow_totalSupply_collateralOnlyDeposits](#), [Alpenglow state transition -](#)

[ST_Alpenglow_totalSupply_totalBorrowAmount](#), [Alpenglow state transition -](#)

6. Verifications (cont.)

1. CollateralToken.totalSupply is changed => totalDeposits is changed.

Implementation: rule ST_Alpenglow_totalSupply_totalDeposits

2. CollateralOnlyToken.totalSupply is changed => collateralOnlyDeposits is changed.

Implementation: rule ST_Alpenglow_totalSupply_collateralOnlyDeposits

3. DebtToken.totalSupply is changed => totalBorrowAmount is changed.

Implementation: rule ST_Alpenglow_totalSupply_totalBorrowAmount

4. AssetInterestData.interestRateTimestamp is changed and it was not 0 and AssetInterestData.totalBorrowAmount was not 0 => AssetInterestData.totalBorrowAmount is changed.

Implementation: rule

ST_Alpenglow_interestRateTimestamp_totalBorrowAmount_dependency

5. AssetInterestData.interestRateTimestamp is changed and it was not 0 and `AlpenglowRepository.protocolShareFee()` was not 0 => AssetInterestData.totalDeposits and AssetInterestData.protocolFees also changed.

Implementation: rule ST_Alpenglow_interestRateTimestamp_fee_dependency

6. CollateralToken.totalSupply or collateralOnlyToken.totalSupply increased => deposit amount is not zero and asset is active.

Implementation: rule ST_Alpenglow_mint_shares

7. DebtToken.totalSupply increased => borrow amount is not zero and asset is active.

Implementation: rule ST_Alpenglow_mint_debt

8. AssetInterestData.status is changed to active and AssetStorage.collateralToken and AssetStorage.collateralOnlyToken and AssetStorage.debtToken where empty => AssetStorage.collateralToken and AssetStorage.collateralOnlyToken and AssetStorage.debtToken should not be empty and different.

Implementation: rule ST_Alpenglow_asset_init_shares_tokes

9. AssetInterestData.status is changed to active and AssetStorage.collateralToken and AssetStorage.collateralOnlyToken and AssetStorage.debtToken where not empty => AssetStorage.collateralToken and AssetStorage.collateralOnlyToken and AssetStorage.debtToken should not update.

Implementation: rule ST_Alpenglow_asset_reactivate

6. Verifications (cont.)

4. Valid States

Reports: [Alpenglow valid states](#)

1. TotalDeposits is zero $\Leftrightarrow$ collateralToken.totalSupply is zero.

Implementation: rule VS_Alpenglow_totalDeposits_totalSupply

2. CollateralOnlyDeposits is zero $\Leftrightarrow$ collateralOnlyToken.totalSupply is zero.

Implementation: rule VS_Alpenglow_collateralOnlyDeposits_totalSupply

3. TotalBorrowAmount is zero $\Leftrightarrow$ debtToken.totalSupply is zero.

Implementation: rule VS_Alpenglow_totalBorrowAmount_totalSupply

4. AssetInterestData.lastTimestamp is zero $\Rightarrow$

AssetInterestData.protocolFees is zero.

Implementation: rule VS_Alpenglow_lastTimestamp_protocolFees

5. AssetInterestData.protocolFees increased $\Rightarrow$

AssetInterestData.lastTimestamp and AssetStorage.totalDeposits are increased too.

Implementation: rule VS_Alpenglow_protocolFees

6. AssetInterestData.totalBorrowAmount is not zero $\Rightarrow$

AssetStorage.totalDeposits is not zero.

Implementation: rule VS_Alpenglow_totalBorrowAmount

7. AssetInterestData.protocolFees is zero $\Rightarrow$

AssetInterestData.harvestedProtocolFees is zero.

Implementation: rule VS_Alpenglow_lastTimestamp_protocolFees_zero

8. AssetInterestData.status is active $\Rightarrow$ AssetStorage.collateralToken is not empty and AssetStorage.collateralOnlyToken is not empty and AssetStorage.debtToken is not empty and allAlpenglowAssets.length > 0.

Implementation: rule VS_Alpenglow_active_asset

5. Variable Changes

Reports: [Alpenglow variable changes - VariableChanges](#), [Alpenglow variable changes - VariableChangesWithoutInterest](#), [Alpenglow variable changes - VariableChangesDebtToken](#), [Alpenglow variable changes - VariableChangesCollateralOnlyToken](#), [Alpenglow variable changes - VariableChangesCollateralToken](#)

1. AssetStorage.totalDeposits can only change on deposit, depositFor, withdraw, withdrawFor, flashLiquidate, repay, repayFor, borrow, borrowFor, accrueInterest.

Implementation: rule VC_Alpenglow_totalDeposits

6. Verifications (cont.)

2. `AssetStorage.totalDeposits` without `_accrueInterest` can only change on `deposit`, `depositFor`, `withdraw`, `withdrawFor`, `flashLiquidate`.

Implementation: rule VC_Alpenglow_totalDeposits_without_interest

3. `AssetStorage.collateralOnlyDeposits` can only change on `deposit`, `depositFor`, `withdraw`, `withdrawFor`, `flashLiquidate`.

Implementation: rule VC_Alpenglow_collateralOnlyDeposits

4. `AssetStorage.totalBorrowAmount` can only change on `deposit`, `depositFor`, `withdraw`, `withdrawFor`, `flashLiquidate`, `repay`, `repayFor`, `borrow`, `borrowFor`, `accrueInterest`.

Implementation: rule VC_Alpenglow_totalBorrowAmount

5. `AssetStorage.totalBorrowAmount` without `_accrueInterest` can only change on `deposit`, `depositFor`, `withdraw`, `withdrawFor`.

Implementation: rule VC_Alpenglow_totalBorrowAmount_without_interest

6. `AssetInterestData.harvestedProtocolFees` can only change on `harvestProtocolFees`.

Implementation: rule VC_Alpenglow_harvestedProtocolFees

7. `AssetInterestData.protocolFees` can only change on `deposit`, `depositFor`, `withdraw`, `withdrawFor`, `flashLiquidate`, `repay`, `repayFor`, `borrow`, `borrowFor`, `accrueInterest`.

Implementation: rule VC_Alpenglow_protocolFees

8. `AssetInterestData.protocolFees` without `_accrueInterest` can only change on `borrow`, `borrowFor`.

Implementation: rule VC_Alpenglow_protocolFees_without_interest

9. `AssetInterestData.interestRateTimestamp` can only change on `deposit`, `depositFor`, `withdraw`, `withdrawFor`, `flashLiquidate`, `repay`, `repayFor`, `borrow`, `borrowFor`, `accrueInterest`.

Implementation: rule VC_Alpenglow_interestRateTimestamp

10. `AssetInterestData.interestRateTimestamp` should not change in the same block.

Implementation: rule VC_Alpenglow_interestRateTimestamp_in_the_same_block

11. `AssetInterestData.status` can only change on `initAssetsTokens`, `syncBridgeAssets`.

Implementation: rule VC_Alpenglow_asset_status

12. `AssetStorage.collateralToken` and `AssetStorage.collateralOnlyToken` and `AssetStorage.debtToken` can only change on `initAssetsTokens`, `syncBridgeAssets`.

Implementation: rule VC_Alpenglow_shares_tokens_change

6. Verifications (cont.)

13. CollateralToken.totalSupply can only change on deposit, depositFor, withdraw, withdrawFor, flashLiquidate.

Implementation: rule VC_Alpenglow_collateral_totalSupply_change

14. CollateralOnlyToken.totalSupply can only change on deposit, depositFor, withdraw, withdrawFor if _collateralOnly is true and on flashLiquidate.

Implementation: rule VC_Alpenglow_collateralOnly_totalSupply_change

15. DebtToken.totalSupply can only change on borrow, borrowFor, repay, repayFor.

Implementation: rule VC_Alpenglow_debt_totalSupply_change

16. CollateralToken.totalSupply and AssetStorage.totalDeposits should increase only on deposit, depositFor.

Implementation: rule VC_Alpenglow_collateral_totalDeposits_increase

17. CollateralOnlyToken.totalSupply and AssetStorage.collateralOnlyDeposits should increase only on deposit, depositFor if _collateralOnly is true.

Implementation: rule

VC_Alpenglow_collateralOnly_collateralOnlyDeposits_increase

18. CollateralToken.totalSupply and AssetStorage.totalDeposits should decrease only on withdraw, withdrawFor, flashLiquidate.

Implementation: rule VC_Alpenglow_collateral_totalDeposits_decrease

19. CollateralOnlyToken.totalSupply and AssetStorage.collateralOnlyDeposits should decrease only on withdraw, withdrawFor if _collateralOnly is true and on flashLiquidate.

Implementation: rule

VC_Alpenglow_collateralOnly_collateralOnlyDeposits_decrease

20. DebtToken.totalSupply and AssetStorage.totalBorrowAmount should increase only on borrow, borrowFor.

Implementation: rule VC_Alpenglow_debt_totalBorrow_increase

21. DebtToken.totalSupply and AssetStorage.totalBorrowAmount should decrease only on repay, repayFor.

Implementation: rule VC_Alpenglow_debt_totalBorrow_decrease

22. AssetInterestData.interestRateTimestamp should only increase.

Implementation: rule VC_Alpenglow_interestRateTimestamp_increase

23. The Alpenglow balance for a particular asset should only increase on deposit, depositFor,

repay, repayFor. The Alpenglow balance for a particular asset should only decrease on withdraw, withdrawFor, borrow, borrowFor, flashLiquidate, harvestProtocolFees. *Implementation: rule VC_Alpenglow_balance*

6. Verifications (cont.)

7. Alpenglow Factory

Reports: [Alpenglow factory](#)

1. AlpenglowRepository can only change on initRepository.
Implementation: rule `VC\_AlpenglowFactory\_AlpenglowRepository\_change`
2. AlpenglowRepository can be initialized once. The second attempt should revert.
Implementation: rule `HLP\_AlpenglowRepository\_AlpenglowRepository\_change`
3. Only the AlpenglowRepository can create a Alpenglow.
Implementation: rule `UT\_AlpenglowRepository\_createAlpenglow\_permissions`

8. Alpenglow Repository

1. Valid States

Reports: [Alpenglow Repository - ValidStates](#)

1. Solvency precision decimals are 10e18 and can not be changed.
Implementation: invariant VS_solvencyPrecisionDecimals
2. Default liquidation threshold $\in (0, 10^{18}]$.
Implementation: invariant VS_defaultLiquidationThreshold
3. For every Alpenglow and every asset assetConfig liquidation threshold $\in (0, 10^{18}]$.
Implementation: invariant VS_AlpenglowLiquidationThreshold
4. Default max loan to value $\in (0, 10^{18}]$.
Implementation: invariant VS_defaultMaxLTV
5. For every Alpenglow and every asset assetConfig max loan to value $\in (0, 10^{18}]$.
Implementation: invariant VS_AlpenglowMaxLTV
6. Default liquidation threshold is greater than default max loan to value.
Implementation: invariant VS_defaultLiquidationThresholdGreaterMaxLTV
7. For every Alpenglow and every asset assetConfig liquidation threshold is greater than max loan to value.
Implementation: invariant VS_AlpenglowLiquidationThresholdGreaterMaxLTV
8. For every Alpenglow and every asset assetConfig.liquidationThreshold == 0 $\Leftrightarrow$ assetConfig.maxLoanToValue == 0.
Implementation: invariant VS_halfOfAssetConfigsNeverEmpty
9. Entry fee $\in (0, \text{Solvency}._PRECISION_DECIMALS]$.
Implementation: invariant VS_entryFee

6. Verifications (cont.)

10. Protocol share fee $\in (0, \text{Solvency}._PRECISION_DECIMALS]$.

Implementation: invariant VS_protocolShareFee

11. Protocol liquidation fee $\in (0, \text{Solvency}._PRECISION_DECIMALS]$.

Implementation: invariant VS_protocolLiquidationFee

12. Protocol liquidation fee $\in (0, \text{Solvency}._PRECISION_DECIMALS]$.

Implementation: invariant VS_protocolLiquidationFee

13. Default Alpenglow factory is never equal to zero address. If the factory version for an asset is not the default one, the Alpenglow factory for this asset can be zero only if `unregisterAlpenglowVersion()` is called. State after constructor call is not proved, but checked manually.

Implementation: rule VS_complexInvariant_AlpenglowFactory

2. Variable Changes

Reports: [Alpenglow Repository - VariableChanges](#)

1. Default liquidation threshold can be set only by `setDefaultLiquidationThreshold`. ((Default liquidation threshold changed) $\Leftrightarrow$ (f.selector == `setDefaultLiquidationThreshold` && msg.sender == owner)).

Implementation: rule VCH_setDefaultLiquidationThresholdOnlyOwner

2. Default max loan to value can be set only by `setDefaultLiquidationThreshold`. ((default max loan to value changed) $\Leftrightarrow$ (f.selector == `setDefaultMaximumLTV` && msg.sender == owner)).

Implementation: rule VCH_setDefaultMaximumLTVOnlyOwner

3. Default interest rate model can be set only by `setDefaultInterestRateModel`. ((default max loan to value changed) $\Leftrightarrow$ (f.selector == `setDefaultInterestRateModel` && msg.sender == owner)).

Implementation: rule VCH_setDefaultInterestRateModelOnlyOwner

4. Price providers repository can be set only by `setPriceProvidersRepository`. ((price provider repository changed) $\Leftrightarrow$ (f.selector == `setPriceProvidersRepository` && msg.sender == owner)).

Implementation: rule VCH_setPriceProvidersRepositoryOnlyOwner

5. Router can be set only by `setRouter`. ((router changed) $\Leftrightarrow$ (f.selector == `setRouter` && msg.sender == owner)).

Implementation: rule VCH_setRouterOnlyOwner

6. Notification receiver can be set only by `setNotificationReceiver`. ((notification receiver changed) $\Leftrightarrow$ (f.selector == `setNotificationReceiver` && msg.sender == owner)).

Implementation: rule VCH_setNotificationReceiverOnlyOwner

6. Verifications (cont.)

7. Tokens factory can be set only by setTokensFactory. ((tokens factory changed) $\Leftrightarrow$ (f.selector == setTokensFactory && msg.sender == owner)).

Implementation: rule VCH_setTokensFactoryOnlyOwner

8. Asset config updated $\Leftrightarrow$ msg.sender is the owner.

Implementation: rule VCH_assetConfigOnlyOwner

9. ((new asset in getBridgeAssets()) $\Leftrightarrow$ (f.selector == addBridgeAsset && msg.sender == owner)) && ((asset is removed from getBridgeAssets()) $\Leftrightarrow$ (f.selector == removeBridgeAsset && msg.sender == owner)).

Implementation: rule VCH_bridgeAssets

10. ((new asset in getRemovedBridgeAssets()) $\Leftrightarrow$ (f.selector == removeBridgeAsset && msg.sender == owner)) && ((asset is removed from getRemovedBridgeAssets()) $\Leftrightarrow$ (f.selector == addBridgeAsset && msg.sender == owner)).

Implementation: rule VCH_removedBridgeAssets

11. When registerAlpenglowVersion(..., isDefault) is called. msg.sender == owner && (latest version is default $\Leftrightarrow$ isDefault == true).

Implementation: rule VCH_registerAlpenglowVersionDefaultIsLatest

12. If the default Alpenglow version is changed to newDefaultAlpenglowVersion, then msg.sender == owner && (f.selector == registerAlpenglowVersion(..., isDefault = true) || f.selector == setDefaultAlpenglowVersion(..., AlpenglowVersion = newDefaultAlpenglowVersion)).

Implementation: rule VCH_defaultAlpenglowVersion

3. Unit Tests

Reports: [Alpenglow Repository - UnitTests](#)

1. For every asset (getAlpenglow(asset) == 0 || AlpenglowReverse(getAlpenglow(asset)) == asset || getAlpenglow(asset) == bridgePool()).

Implementation: invariant UT_getAlpenglowReverseAlpenglow

2. If the asset is a removed bridge asset, it is not a bridge asset.

Implementation: invariant UT_removedBridgeAssetIsNotBridge

3. If the asset is a bridge asset, it is not a removed bridge asset.

Implementation: invariant UT_bridgeAssetIsNotRemoved

4. Alpenglow can be created for an asset in all cases, except (getAlpenglow(asset) != 0 || assetIsABridge && (bridgeAssetsAmount == 1 || bridgePool != 0)). State after constructor call is not proved, but checked manually.

Implementation: invariant UT_complexInvariant_ensureCanCreateAlpenglowFor

6. Verifications (cont.)

5. If the asset is a bridge asset, then Alpenglow for this asset is not yet created or

the Alpenglow is a bridge pool.

Implementation: invariant UT_assetIsBridgeThenAlpenglowIsBridgePool

6. If the asset is a removed bridge asset, then Alpenglow for this asset is not yet

created or the Alpenglow is NOT a bridge pool.

Implementation: rule UT_assetIsBridgeThenAlpenglowIsBridgePool

9. Tokens Factory

Reports: [TokensFactory](#)

1. _AlpenglowRepository can only change on initRepository.

Implementation: rule VC_TokensFactory_AlpenglowRepository_change

2. _AlpenglowRepository can be initialized once. The second attempt should revert.

Implementation: rule HLP_TokensFactory_AlpenglowRepository_change

3. createShareCollateralToken should revert if msg.sender != Alpenglow address.

Implementation: rule

UT_TokensFactory_createShareCollateralToken_only_Alpenglow

4. createShareDebtToken should revert if msg.sender != Alpenglow address.

Implementation: rule UT_TokensFactory_createShareDebtToken_only_Alpenglow

5. _AlpenglowRepository can't be set to zero address if it was not zero.

Implementation: rule RA_TokensFactory_AlpenglowRepository_not_zero

6. Any Alpenglow should be able to create ShareCollateral and ShareDebt tokens.

Implementation: rule RA_TokensFactory_any_Alpenglow_can_create_shares

10. Guarded Launch

Reports: [Guarded launch](#)

1. maxLiquidity.globalLimit can only change on setLimitedMaxLiquidity() call. globalLimit changed => f.selector == setLimitedMaxLiquidity.

Implementation: rule VC_GuardedLaunch_globalLimit

2. maxLiquidity.defaultMaxLiquidity can only change on setDefaultAlpenglowMaxDepositsLimit() call. defaultMaxLiquidity changed => f.selector == setDefaultAlpenglowMaxDepositsLimit.

Implementation: rule VC_GuardedLaunch_defaultMaxLiquidity

6. Verifications (cont.)

3. For every Alpenglow and its every asset AlpenglowMaxLiquidity can only change on `setAlpenglowMaxDepositsLimit()` call. AlpenglowMaxLiquidity changed $\Rightarrow$ `f.selector == setAlpenglowMaxDepositsLimit`.

Implementation: rule VC_GuardedLaunch_AlpenglowMaxLiquidity

4. GlobalPause can only change on `setGlobalPause()` call. GlobalPause changed $\Rightarrow$ `f.selector == setGlobalPause`.

Implementation: rule VC_GuardedLaunch_globalPause

5. For every Alpenglow and its asset AlpenglowPause can only change on `setAlpenglowPause()` call. AlpenglowPause changed $\Rightarrow$ `f.selector == setAlpenglowPause`.

Implementation: rule VC_GuardedLaunch_AlpenglowPause

6. Only owner can call `setLimitedMaxLiquidity()`.

Implementation: rule UT_GuardedLaunch_setLimitedMaxLiquidity_onlyOwner

7. Only owner can call `setDefaultAlpenglowMaxDepositsLimit()`.

Implementation: rule

UT_GuardedLaunch_setDefaultAlpenglowMaxDepositsLimit_onlyOwner

8. Only owner can call `setAlpenglowMaxDepositsLimit()`.

Implementation: rule

UT_GuardedLaunch_setAlpenglowMaxDepositsLimit_onlyOwner

9. Only owner can call `setGlobalPause()`.

Implementation: rule UT_GuardedLaunch_setGlobalPause_onlyOwner

10. Only owner can call `setAlpenglowPause()`.

Implementation: rule UT_GuardedLaunch_setAlpenglowPause_onlyOwner

11. For any Alpenglow and any asset we must be sure that after it was paused we can unpause it.

Implementation: rule RA_GuardedLaunch_Alpenglow_pause_unpause

12. If system been paused we must be sure that we can unpause it.

Implementation: rule RA_GuardedLaunch_Global_pause_unpause

11. Solvency

1. Unit Tests

Report: [Unit tests](#)

1. `ConvertAmountsToValues` return zero $\Leftrightarrow$ `amount * price < DECIMAL_POINTS`.

Implementation: rule UT_convertAmountsToValues_zeroSanity

6. Verifications (cont.)

6.11.1.2 ConvertAmountsToValues returns array of the values, calculated as $\text{amount} * \text{price} / \text{DECIMAL_POINTS}$.

Implementation: rule UT_convertAmountsToValues_concreteFormula

3.CalculateLiquidationFee returns $\text{liquidationFeeAmount} == \text{amount} * \text{liquidationFee} / \text{DECIMAL_POINTS}$ and $\text{newProtocolEarnedFees} == \text{protocolEarnedFees} + \text{liquidationFeeAmount}$. $\text{newProtocolEarnedFees}$ is set to $\text{type}(\text{uint256}).\text{max}$ value in case of the overflow.

Implementation: rule UT_calculateLiquidationFee

4.GetUserBorrowAmount returns user debt share balance to amount rounded up with compounded interest applied.

Implementation: rule UT_getUserBorrowAmount

5.GetUserCollateralAmount returns user collateral share balance to amount with compounded interest applied. Protocol interest is excluded from compounded interest.

Implementation: rule UT_getUserCollateralAmount

6.TotalBorrowAmountWithInterest returns totalBorrowAmount increased by compounded interest.

Implementation: rule UT_totalBorrowAmountWithInterest

7. TotalDepositsWithInterest returns totalDeposits increased by compounded interest. Protocol interest is excluded from compounded interest.

Implementation: rule UT_totalDepositsWithInterest